



UNIQUE[®]

OFF-GRID APPLIANCES

2018

CATALOG

PRODUCT SHOWCASE

Table of contents

Page 2 **Matched Pair Promotion**
Page 3 **Propane/Gas Ranges**
Page 12 **Rangetop/Cooktops**
Page 17 **Propane Fridges**
Page 27 **Propane Freezers**
Page 30 **Solar Powered Dc Appliances**
Page 40 **Portable Laundry**
Page 41 **Solar Powered Dc Portables**
Page 47 **Electronic Ignition Convection Gas Ranges**
Page 53 **Range Hood**
Page 54 **Direct Vent (Dv) System Information**
Page 55 **Contact Us**
Page 56 **Notes**

MATCHED PAIR PROMOTION

PROPANE/GAS RANGES

RANGETOP & COOKTOPS

PROPANE FRIDGES

PROPANE FREEZERS

SOLAR APPLIANCES

LAUNDRY

PORTABLES

ELECTRONIC GAS RANGES

RANGE HOOD

UNIQUE INFORMATION



MATCHED PAIR PROMOTION

EARN UP TO A \$600 CONSUMER MAIL-IN REBATE FOR EACH UNIQUE FRIDGE AND PROPANE RANGE/COOKTOP COMBO PURCHASED!

- Purchase the Unique Elite 22 SS **AND** the 36" Unique Elite range, and receive a \$600 mail-in rebate.
- Purchase the Unique Elite 22 SS or Elite 18 SS fridge **AND** either the 30" or the 36" Unique Elite range, and receive a \$400 mail-in rebate.
- Purchase any Unique 10C, 13, 15, 18 or 22 propane fridge or Unique 290L1, 370L1 & 470L1 solar fridge **AND** any Unique Signature range, and receive a \$200 mail-in rebate. (Classic range combo would be \$100 rebate.)
- Purchase any Unique 6C or 8C propane fridge or Unique 170L1 or 260L1 solar fridge **AND** any Unique range, and receive a \$100 mail-in rebate.
- Purchase any Unique fridge (UGP-3 not included) **AND** any Unique cooktop, and receive a \$100 mail-in rebate.

Both the Unique fridge and Unique range must be purchased together and on the same sales receipt, between March 1st, 2018 and February 28th, 2019.

YOU CAN
\$AVE
UP TO
\$600



UGP-30CT1
Unique 30" On-Grid/Off-Grid
Cooktop



UGP-36E 0F1
Unique 36" Elite
Propane Range



UGP-22 SS
Unique Elite 22.1 cu. ft. Stainless Steel
Propane Fridge

MATCHED PAIR PROMOTION

www.uniqueoffgrid.com



UNIQUE®

OFF-GRID APPLIANCES



PROPANE/GAS RANGES

UNIQUE *elite*

Signature

Classic



UGP-36E OFI
UNIQUE ELITE SERIES



UGP-30 WW
UNIQUE SIGNATURE SERIES



UGP-30G OFI
UNIQUE CLASSIC SERIES





UNIQUE ELITE

36" OFF-GRID PROPANE RANGE

BATTERY IGNITION

COLORS:



stainless



MODEL (shown)	UGP-36E OF1
OPERATION	Set for propane (LPG) - A natural (NG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 39.75" x 36" x 27.5" oven: 14.5" x 30" x 18" (4.5 cu.ft)
COOKING SURFACE HEIGHT	37"
BTU (LPG & NG)	total BTUs on cooktop: 72,000 griddle: 12,000 front left: 18,000 front right: 18,000 rear left: 12,000 rear right: 12,000 upper broiler burner: 10,000 U-shape oven burner: 18,000
WEIGHT (LBS/KG)	220 lbs / 99.7 kg



FEATURES:

- Elegant, pro-style design at an affordable price
- 18,000 BTUs of searing power on cooktop
- High quality, Italian-made sealed burners for easy cleanup
- The only waist-high broiler in an off-grid range (Unique patent)
- Continuous cast iron grate design for easy movement of cookware
- Centre griddle for weekend breakfast
- Battery operated ignition system - (4 x 9V batteries required for operation)
- Flame light indicator
- Heavy stainless steel construction
- Battery operated oven light
- Porcelain broil pan and tray included



4

UNIQUE ELITE

COLORS:



stainless



UNIQUE ELITE
30" OFF-GRID PROPANE RANGE
BATTERY IGNITION

MODEL (shown)	UGP-30E OFI
OPERATION	Set for propane (LPG) - A natural (NG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 39.75" x 30" x 27.5" oven: 15.25" x 24" x 18" (3.8 cu.ft)
COOKING SURFACE HEIGHT	37"
BTU (LPG & NG)	total BTUs on cooktop: 60,000 front left: 18,000 front right: 18,000 rear left: 12,000 rear right: 12,000 upper broiler burner: 10,000 U-shape oven burner: 18,000
WEIGHT (LBS/KG)	172 lbs / 78 kg



FEATURES:

- Elegant, pro-style design at an affordable price
- 18,000 BTUs of searing power on cooktop
- High quality, Italian-made sealed burners for easy cleanup
- The only waist-high broiler in an off-grid range (Unique patent)
- Continuous cast iron grate design for easy movement of cookware
- Flame light indicator
- Battery operated ignition system- (4 x 9V batteries required for operation)
- Heavy stainless steel construction
- Battery operated oven light
- Porcelain broil pan and tray included



UNIQUE ELITE

30" UNIQUE

Signature

PROPANE RANGE

BATTERY IGNITION



COLORS:



white



white



black



stainless/
black

MODEL (shown)	UGP-30 WW
OPERATION	Propane (LPG), Natural Gas (NG) option - NG orifices not included
DIMENSIONS: (H x W x D)	overall: 40.5" x 30" x 24" oven: 14" x 24" x 19" (3.8 cu.ft) broil area: 13" wide x 13" deep
COOKING SURFACE HEIGHT	36"
BTU: cooktop (LPG & NG)	Variable BTU cooktop - (sealed burners) front left: 9,100 front right: 11,000 rear left: 5,000 rear right: 9,100
WEIGHT (LBS/KG)	167 lbs / 76 kg



FEATURES:

- Modern design with solid construction (heavy duty stainless steel handles)
- High quality Italian-made Sabaf burners
- Sealed burner cooktop (easier to clean)
- Heavy duty continuous cast iron grate design for safer movement of cookware
- Large pro-style knobs for cooktop & oven
- Cast iron burner caps
- Battery operated ignition system - (2 x 9V batteries required for operation)
- Oven window on UGP-30 S/S and UGP-30 WW models

6



COLORS:



white



black



stainless/
black

24" UNIQUE *Signature* PROPANE RANGE BATTERY IGNITION



MODEL (shown)	UGP-24 S/S
OPERATION	Propane (LPG), Natural Gas (NG) option - NG orifices not included
DIMENSIONS: (H x W x D)	overall: 40.5" x 24" x 24" oven: 14" x 19" x 19" (2.9 cu.ft) broiling area: 13" wide x 13" deep
COOKING SURFACE HEIGHT	36"
BTU top	Variable BTU cooktop - (sealed burners) front left: 9,100 front right: 11,000 rear left: 5,000 rear right: 9,100
WEIGHT (LBS/KG)	142 lbs / 65 kg

FEATURES:

- Modern design with stainless steel doors and handles (stainless version)
- High quality Italian-made Sabaf burners
- Sealed burner cooktop (easier to clean)
- Heavy duty continuous cast iron grate design for safer movement of cookware
- Large pro-style knobs for cooktop & oven
- Cast iron burner caps
- Battery operated ignition system - (2 x 9V batteries required for operation)
- Oven window on UGP-24 S/S



7

20" UNIQUE

Signature

PROPANE RANGE

BATTERY IGNITION



COLORS:



white



black

MODEL (shown)	UGP-20 B
OPERATION	Propane (LPG), Natural Gas (NG) option - NG orifices not included
DIMENSIONS: (H x W x D)	overall: 40.5" x 20" x 24" oven: 14" x 16" x 19" (2.5 cu.ft) broil area: 13" wide x 13" deep
COOKING SURFACE HEIGHT	36"
BTU: cooktop (LPG & NG)	Variable BTU cooktop - (sealed burners) front left: 9,100 front right: 9,100 rear left: 9,100 rear right: 9,100
WEIGHT (LBS/KG)	125 lbs / 57 kg



FEATURES:

- Modern design with heavy duty construction - built to last
- High quality Italian-made Sabaf burners
- Sealed burner cooktop (easier to clean)
- Heavy duty continuous cast iron grate design for safer movement of cookware
- Large pro-style knobs for cooktop & oven
- Cast iron burner caps
- Battery operated ignition system - (2 x 9V batteries required for operation)



COLORS:



white



black

MODEL (shown)	UGP-30G OF1 W
OPERATION	Set for propane (LPG) - A natural (NG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 39.4" x 30" x 29.5" oven: 13.7" x 24.25" x 20.1" (3.9 cu.ft) broil area: 24" wide x 22.5" deep
COOKING SURFACE HEIGHT	37"
BTU: cooktop (LPG & NG)	Variable BTU cooktop - (sealed burners) front left: 9,000 front right: 10,000 rear left: 9,000 rear right: 3,000
WEIGHT	162 lbs / 73.5 kg

30" UNIQUE
Classic
PROPANE RANGE
BATTERY IGNITION



FEATURES:

- Sleek modern design
- Continuous cast iron grate design for easy and safe movement of cookware (no tipping)
- Sealed cast burners for easy clean up
- Variable BTUs to allow you to cook how you want
- One large dual ring 10,000 BTU cast burner for quick boiling
- Two 9,000 BTU cast burners
- One 3,000 BTU cast burner for low simmer cooking
- Heavy duty handles
- Oven window
- Battery operated ignition system - (1 x D-cell battery required for operation)



9

24" UNIQUE Classic PROPANE RANGE BATTERY IGNITION

COLORS:



white



black



MODEL (shown)	UGP-24G OF1 B
OPERATION	Set for propane (LPG) - A natural (NG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 39.4" x 24" x 29.5" oven: 13.7" x 18.7" x 20.1" (3.1 cu.ft) broil area: 18.5" wide x 20.9" deep
COOKING SURFACE HEIGHT	37"
BTU: cooktop (LPG & NG)	Variable BTU cooktop - (sealed burners) front left: 10,000 front right: 11,000 rear left: 10,000 rear right: 3,000
WEIGHT	143 lbs / 65 kg



FEATURES:

- Sleek modern design
- Continuous cast iron grate design for easy and safe movement of cookware (no tipping)
- Sealed cast burners for easy clean up
- Variable BTUs to allow you to cook how you want
- One large dual ring 11,000 BTU cast burner for quick boiling
- Two 10,000 BTU cast burners
- One 3,000 BTU cast burner for low simmer cooking
- Heavy duty handles
- Oven window
- Battery operated ignition system - (1 x D-cell battery required for operation)

10



COLORS:



white



black

20" UNIQUE Classic PROPANE RANGE BATTERY IGNITION

MODEL (shown)	UGP-20G OF1 W
OPERATION	Set for propane (LPG) - A natural (NG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 39.4" x 20" x 29.5" oven: 13.7" x 14.7" x 20.1" (2.4 cu.ft) broil area: 14.5" wide x 20.9" deep
COOKING SURFACE HEIGHT	37"
BTU: cooktop (LPG & NG)	Variable BTU cooktop - (sealed burners) front left: 7,000 front right: 9,000 rear left: 9,000 rear right: 3,000
WEIGHT	128 lbs / 58 kg



FEATURES:

- Sleek modern design
- Continuous cast iron grate design for easy and safe movement of cookware (no tipping)
- Sealed cast burners for easy clean up
- Variable BTUs to allow you to cook how you want
- Two large 9,000 BTU cast burners for quick boiling
- One 7,000 BTU cast burner
- One 3,000 BTU cast burner for low simmer cooking
- Heavy duty handles
- Oven window
- Battery operated ignition system - (1 x D-cell battery required for operation)





UNIQUE[®]
OFF-GRID APPLIANCES



NATURAL GAS/PROPANE RANGETOP & COOKTOPS



UGP-30E CTZ



UGP-36 CTI



UGP-30 CTI



UGP-24 CTI



COLORS:



stainless



UNIQUE ELITE
30" GAS RANGETOP
UGP-30E CT2

DUAL IGNITION ELECTRICAL/BATTERY

MODEL (shown)	UGP-30E CT2
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	9" x 30" x 27.5"
BTU (LPG & NG)	total BTUs: 60,000 front left: 18,000 front right: 18,000 rear left: 12,000 rear right: 12,000
WEIGHT (LBS/KG)	71 lbs / 32 kg



FEATURES:

- Elegant, pro-style design at an affordable price
- Rangetop features 18,000 BTUs of searing power
- High quality, Italian-made sealed burners for easy cleanup
- Can operate in the city (AC/DC plug-in ignition) or off-grid (battery ignition) (dual ignition system patent pending)
- Continuous cast iron grate design for easy movement of cookware
- Heavy stainless steel construction



36" GAS COOKTOP UGP-36 CT1

DUAL IGNITION ELECTRICAL/BATTERY

COLORS:



stainless



MODEL (shown)	UGP-36 CT1
OPERATION	Natural Gas (NG) or Propane (LPG) - comes set for NG, LPG orifices included
DIMENSIONS: (H x W x D)	35.4" x 20" x 4.5"
BTU (LPG & NG)	total BTUs: 46,800 centre: 17,000 front left: 10,200 front right: 10,200 rear left: 6,000 rear right: 3,400
WEIGHT (LBS/KG)	40 lbs / 18.1 kg



FEATURES:

- Can operate in the city (AC/DC plug-in ignition) or off-grid (battery ignition) (dual ignition system patent pending)
- 17,000 BTUs of searing power
- High quality, Italian-made Sabaf sealed burners for easy cleanup
- Multi-prong grate design makes moving cookware safe and easy
- Durable cast iron burner grates
- Elegant design
- Cardboard template included for exact counter cut-out

COLORS:



stainless

30" GAS COOKTOP UGP-30 CT1

DUAL IGNITION ELECTRICAL/BATTERY

MODEL (shown)	UGP-30 CT1
OPERATION	Natural Gas (NG) or Propane (LPG) - comes set for NG, LPG orifices included
DIMENSIONS: (H x W x D)	30" x 20" x 4.5"
BTU (LPG & NG)	total BTUs: 46,800 centre: 17,000 front left: 10,200 front right: 10,200 rear left: 6,000 rear right: 3,400
WEIGHT (LBS/KG)	34 lbs / 15.4 kg



FEATURES:

- Can operate in the city (AC/DC plug-in ignition) or off-grid (battery ignition) (dual ignition system patent pending)
- 17,000 BTUs of searing power
- High quality, Italian-made Sabaf sealed burners for easy cleanup
- Multi-prong grate design makes moving cookware safe and easy
- Durable cast iron burner grates
- Elegant design
- Cardboard template included for exact counter cut-out



15

24" GAS COOKTOP UGP-24 CT1

DUAL IGNITION ELECTRICAL/BATTERY

COLORS:



stainless



MODEL (shown)	UGP-24 CT1
OPERATION	Natural Gas (NG) or Propane (LPG) - comes set for NG, LPG orifices included
DIMENSIONS: (H x W x D)	23.6" x 20" x 4.5"
BTU (LPG & NG)	total BTUs: 36,400 front left: 10,200 front right: 17,000 rear left: 5,800 rear right: 3,400
WEIGHT (LBS/KG)	27 lbs / 12.2 kg



FEATURES:

- Can operate in the city (AC/DC plug-in ignition) or off-grid (battery ignition) (dual ignition system patent pending)
- 17,000 BTUs of searing power
- High quality, Italian-made Sabaf sealed burners for easy cleanup
- Multi-prong grate design makes moving cookware safe and easy
- Durable cast iron burner grates
- Elegant design
- Cardboard template included for exact counter cut-out



UNIQUE[®]

OFF-GRID APPLIANCES



PROPANE FRIDGES



UGP-22



UGP-18



UGP-18F All-Fridge



UGP-15 W



UGP-13 W



UGP-10C



UGP-8C



UGP-6C



UGP-3

MATCH UP WITH A UNIQUE PROPANE RANGE FOR BIG SAVINGS!





COLORS:



white
UNIQUE



black
UNIQUE



stainless
UNIQUE elite

UNIQUE ELITE
PROPANE FRIDGE
UGP-22 22.1 cu/ft - 625 litres



MODEL (shown)	UGP-22 SS
SIZE	total: 22.1 cu/ft, 625 litres fridge: 16.2 cu/ft. / 458 litres freezer: 5.9 cu/ft. / 167 litres
OPERATION	Propane (LPG)
DIMENSIONS: SM (H x W x D)	unboxed: 69.5" x 31.5" x 38.75"
DIMENSIONS: DV (H x W x D)	unboxed: 69.5" x 31.5" x 42.75"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 10" / right: 2" / back: 1"
WEIGHT (unboxed)	SM: 300 lbs./ 136 kg DV: 320 lbs./ 145 kg
GAS CONSUMPTION	Approx. 2.0 lbs. LPG in 24 hr. period
BTU	2270 max., 684 min.



FEATURES:

- Largest certified propane fridge in the world
- Thermostat
- Front mounted controls
- Flame indicator
- Piezo igniter
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- SM: Free-venting model
- DV: Direct Vent model has "DV" designation & must be located on an outside wall (for "tight" residences with minimal air turnover)



UNIQUE *elite*

UNIQUE ELITE

PROPANE FRIDGE**UGP-18** 18.2 cu/ft - 515 litres**COLORS:**white
UNIQUEblack
UNIQUEstainless
UNIQUE elite

MODEL (shown)	UGP-18 SS
SIZE	total: 18.2 cu/ft, 515 litres fridge: 13.8 cu/ft. / 391 litres freezer: 4.4 cu/ft. / 124 litres
OPERATION	Propane (LPG)
DIMENSIONS: SM (H x W x D)	unboxed: 65.5" x 30" x 36.5"
DIMENSIONS: DV (H x W x D)	unboxed: 66.25" x 30" x 38.5"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 10" / right: 2" / back: 1"
WEIGHT (unboxed)	SM: 270 lbs./123 kg DV: 290 lbs./132 kg
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period
BTU	1600 max., 700 min.

**FEATURES:**

- Thermostat
- Front mounted controls
- Flame indicator
- Piezo igniter
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- SM: Free-venting models
- DV: Direct Vent models have "DV" designation & must be located on an outside wall (for "tight" residences with minimal air turnover)


**UNIQUE ELITE**

PROPANE FRIDGE

UGP-18F 18 cu/ft - 510 litres

ALL FRIDGE

COLORS:



MODEL (shown)	UGP-18F
SIZE	total fridge: 18 cu/ft, 510 litres
OPERATION	Propane (LPG)
DIMENSIONS: SM (H x W x D)	unboxed: 68" x 34" x 34"
DIMENSIONS: DV (H x W x D)	unboxed: 68" x 34" x 38"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 10" / right: 2" / back: 1"
WEIGHT (unboxed)	SM: 180 lbs./ 82 kg DV: 200 lbs./91 kg
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period
BTU	1600 max., 700 min.



FEATURES:

- All fridge
- Thermostat
- Front mounted controls
- Flame indicator
- Piezo igniter
- Battery operated interior light
- SM: Free-venting models
- DV: Direct Vent model has "DV" designation & must be located on an outside wall (for "tight" residences with minimal air turnover)



COLORS:



white

PROPANE FRIDGE

UGP-15 15 cu/ft - 425 litres

MODEL (shown)	UGP-15 W
SIZE	total: 15 cu/ft, 425 litres fridge: 10.8 cu/ft. / 306 litres freezer: 4.2 cu/ft. / 119 litres
OPERATION	Propane (LPG)
DIMENSIONS: SM (H x W x D)	unboxed: 63.5" x 28.5" x 35.5"
DIMENSIONS: DV (H x W x D)	unboxed: 63.5" x 28.5" x 38.5"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 10" / right: 2" / back: 1"
WEIGHT (unboxed)	SM: 260 lbs./119 kg DV: 280 lbs./128 kg
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period
BTU	1600 max., 700 min.



FEATURES:

- Thermostat
- Front mounted controls
- Flame indicator
- Piezo igniter
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- SM: Free-venting models
- DV: Direct Vent model has "DV" designation & must be located on an outside wall (for "tight" residences with minimal air turnover)




21

PROPANE FRIDGE

UGP-13 13.4 cu/ft - 379 litres

COLORS:



MODEL (shown)	UGP-13 W
SIZE	total: 13.4 cu/ft, 379 litres fridge: 9.4 cu/ft. / 266 litres freezer: 4.0 cu/ft. / 113 litres
OPERATION	Propane (LPG)
DIMENSIONS: SM (H x W x D)	unboxed: 70.75" x 27.5" x 32"
DIMENSIONS: DV (H x W x D)	unboxed: 71.75" x 27.5" x 35"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 6" / right: 2" / back: 1"
WEIGHT (unboxed)	SM: 240 lbs./108 kg DV: 260 lbs./119 kg
GAS CONSUMPTION	Approx. 1.4 lbs. LPG in 24 hr. period
BTU	1610 max., 700 min.



FEATURES:

- Thermostat
- Front mounted controls
- Flame indicator
- Piezo igniter
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- SM: Free-venting models
- DV: Direct Vent model has "DV" designation & must be located on an outside wall (for "tight" residences with minimal air turnover)



COLORS:

white



black



stainless

PROPANE FRIDGE
UGP-10C 9.7 cu/ft - 275 litres

MODEL (shown)	UGP-10C S/S
SIZE	total: 9.7 cu/ft, 275 litres fridge: 7.6 cu/ft. / 215 litres freezer: 2.1 cu/ft. / 60 litres
OPERATION	Propane (LPG) / 110V (dual power)
DIMENSIONS: SM (H x W x D)	unboxed: 64.5" x 23.5" x 28.25"
DIMENSIONS: DV (H x W x D)	unboxed: 65.5" x 23.75" x 33.25"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 6" / right: 2" / back: 1"
WEIGHT (unboxed)	SM: 176 lbs./80 kg DV: 196 lbs./89 kg
GAS CONSUMPTION	Approx. 1.4 lbs. LPG in 24 hr. period
BTU	1600 max., 600 min.
AC POWER	110V, 2.5 Amp., 300 Watts

**NEW CONTROL PANEL COVER****FEATURES:**

- Adjustable glass shelves
- One large crisper drawer
- Dual power: primary propane - 110V backup
- Front mounted controls with cover
- Thermostat
- Battery operated ignition
- Battery operated interior light
- Flame indicator
- Reversible doors
- SM: Free-venting models
- DV: Direct Vent model has "DV" designation & must be located on an outside wall (for "tight" residences with minimal air turnover)

**IMPROVED INTERIOR!**

23

PROPANE FRIDGE

UGP-8C 8 cu/ft - 227 litres

COLORS:



white



black



stainless



MODEL (shown)	UGP-8C W
SIZE	total: 8.0 cu/ft, 227 litres fridge: 6.3 cu/ft. / 179 litres freezer: 1.7 cu/ft. / 48 litres
OPERATION	Propane (LPG) / 110V (dual power)
DIMENSIONS: SM (H x W x D)	unboxed: 64.5" x 23.5" x 25.25"
DIMENSIONS: DV (H x W x D)	unboxed: 65.5" x 23.75" x 29.25"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 6" / right: 2" / back: 1"
WEIGHT (unboxed)	SM: 172 lbs./78 kg DV: 192 lbs./87 kg
GAS CONSUMPTION	Approx. 1.1 lbs. LPG in 24 hr. period
BTU	1600 max., 600 min.
AC POWER	110V, 2.5 Amp., 300 Watts

NEW CONTROL PANEL COVER

IMPROVED INTERIOR!



24



FEATURES:

- Adjustable glass shelves
- One large crisper drawer
- Dual power: primary propane - 110V backup
- Front mounted controls with cover
- Thermostat
- Battery operated ignition
- Battery operated interior light
- Flame indicator
- Reversible doors
- SM: Free-venting models
- DV: Direct Vent model has "DV" designation & must be located on an outside wall (for "tight" residences with minimal air turnover)

COLORS:

white



black

PROPANE FRIDGE
UGP-6C 6.4 cu/ft - 181 litres

MODEL (shown)	UGP-6C B
SIZE	total: 6.4 cu/ft, 181 litres fridge: 4.9 cu/ft. / 139 litres freezer: 1.5 cu/ft. / 42 litres
OPERATION	Propane (LPG) / 110V (dual power)
DIMENSIONS: SM (H x W x D)	unboxed: 57.75" x 23.75" x 25.25"
DIMENSIONS: DV (H x W x D)	unboxed: 58.75" x 23.75" x 29.75"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 6" / right: 2" / back: 1"
WEIGHT (unboxed)	SM: 152 lbs./69 kg DV: 165 lbs./75 kg
GAS CONSUMPTION	Approx. 1.1 lbs. LPG in 24 hr. period
BTU	1600 max., 600 min.
AC POWER	110V, 2.5 Amp., 300 Watts

**NEW CONTROL PANEL COVER****FEATURES:**

- Adjustable glass shelves
- One large crisper drawer
- Dual power: primary propane - 110V backup
- Front mounted controls with cover
- Thermostat
- Battery operated ignition
- Battery operated interior light
- Flame indicator
- Reversible doors
- SM: Free-venting models
- DV: Direct Vent model has "DV" designation & must be located on an outside wall (for "tight" residences with minimal air turnover)

**IMPROVED INTERIOR!**

PORTABLE PROPANE FRIDGE

UGP-3 3.4 cu/ft - 96 litres

COLORS:



white



black

NEW TOP MOUNTED CONTROLS



MODEL (shown)	UGP-3 W
SIZE	total: 3.4 cu/ft, 96 litres fridge: 3.0 cu/ft. / 85 litres freezer: 0.4 cu/ft. / 11 litres
OPERATION	Propane (LPG) / 110V / 12V
DIMENSIONS: (H x W x D)	unboxed: 32.25" x 21.25" x 25"
WEIGHT	80 lbs./36.5 kg
GAS CONSUMPTION	Approx. 0.7 lbs. LPG in 24 hr. period
BTU	850 max., 525 min.
AC POWER	110V, 1.45 Amp., 150 Watts
DC POWER	12V, 13.3 Amp., 150 Watts



FEATURES:

- 3-way functionality (primary propane - backup: 12V & 110V)
- Internal freezer compartment
- Thermostat
- Top mounted controls for easier access
- Side handles for easy carrying
- Battery operated ignition
- Flame indicator
- Reversible doors
- 12V adaptor included



Under the portable gas-fired camping refrigerator standard



Includes all connectors - 110V, gas hose & regulators



UNIQUE[®]
OFF-GRID APPLIANCES



PROPANE FREEZERS



UGP-6F



UGP-2



PROPANE FREEZER

UGP-6F 6.0 cu/ft - 169 litres

COLORS:



white



MODEL (shown)	UGP-6F
SIZE	total: 6.0 cu/ft, 169 litres
OPERATION	Propane (LPG) / 110V (dual power)
DIMENSIONS: SM (H x W x D)	unboxed: 33" x 40.5" x 29"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 27" / right: 2" / back: 4"
WEIGHT (boxed)	165 lbs./75 kg
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period
BTU	1800 max., 1200 min.
AC POWER	110V, 2.5 Amp., 300 Watts



FEATURES:

- Dual power: primary propane - 110V backup
- Two storage baskets
- Front mounted controls
- Thermostat
- Battery ignition
- Flame indicator
- SM: Free-venting models



COLORS:



grey

PROPANE FREEZER

UGP-2 2.2 cu/ft - 61 litres

MODEL (shown)	UGP-2
SIZE	total: 2.2 cu/ft, 61 litres
OPERATION	Propane (LPG) / 110V / 12V
DIMENSIONS: (H x W x D)	unboxed: 26.5" x 25.75" x 20"
WEIGHT	82 lbs./37 kg
GAS CONSUMPTION	Approx. 0.7 lbs. LPG in 24 hr. period
BTU	1000 max., 500 min.
AC POWER	110V, 1.45 Amp., 160 Watts
DC POWER	12V, 13.3 Amp., 160 Watts



FEATURES:


- 3-way functionality (primary propane - backup: 12V & 110V)
- Thermostat
- Side mounted controls
- Side handles for easy carrying
- Battery operated ignition
- Flame indicator
- Built-in level indicator (unit must be level while operating)
- 12V adaptor included



Includes all connectors
- 110V, gas hose & regulators

Under the portable gas-fired camping refrigerator standard





SOLAR POWERED DC APPLIANCES



UGP-470L1



UGP-370L1



UGP-290L1



UGP-260L1



UGP-170L1



UGP-108L1



UGP-265LD1



UGP-175L1



UGP-50L1



UGP-72LD1

MATCH UP WITH A UNIQUE PROPANE RANGE FOR BIG SAVINGS!



COLORS:



white

SOLAR POWERED DC FRIDGE

UGP-470L1 16.6 cu/ft - 470 litres

MODEL (shown)	UGP-470L1 W
SIZE	total: 16.6 cu/ft, 470 litres
OPERATION	24V - Only
DIMENSIONS: (H x W x D)	unboxed: 74.5" x 30.5" x 28.5"
WEIGHT	200 lbs./90.7 kg
DC POWER	24V - Only
TOTAL WATT HR. DRAW (24VDC)	865 Wh/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
TOTAL AMP HR. DRAW (24VDC)	28 Ah/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
POWER CONSUMPTION	148 W on 24V
AV. RUN CURRENT	6.2A on 24V
FRIDGE TEMP. RANGE	28 °F to 68 °F
FREEZER TEMP. RANGE	-13 °F to 68 °C



FEATURES:

- Largest upright solar fridge in North America
- Outstanding performance - can dial down the thermostat to +1 °C performance in fridge in high ambient
- Super efficient construction features 4" (10 cm) of insulation in the freezer and 2.5" (6 cm) in the fridge - very low DC power drain
- Danfoss/Secop compressor – the world’s leading DC compressor (2 year warranty)
- Has an in-line fuse for protection
- Thermostat
- Adjustable heavy-duty wire shelves & storage basket
- Operational error code warning system
- Vertical can holder
- Interior LED light
- 3.5ft electrical wire cut end included



SOLAR POWERED DC FRIDGE

UGP-370L1 13.0 cu/ft - 370 litres

COLORS:



white



black



MODEL (shown)	UGP-370L1 W
SIZE	total: 13.0 cu/ft, 370 litres
OPERATION	12V/24V
DIMENSIONS: (H x W x D)	unboxed: 66.9" x 23.8" x 24.5"
WEIGHT	133.4.7 lbs. / 60.5 kg
DC POWER	12V/24V
TOTAL WATT HR. DRAW (24V DC)	587 Wh/ 24 hrs (set to -11 °C freezer/+4 °C fridge performance in a +25 °C ambient)
TOTAL AMP HR. DRAW (24V DC)	24 Ah/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
POWER CONSUMPTION	62 W on 12V/24V
AV. RUN CURRENT	5.2A on 12V & 2.6A on 24V
FRIDGE TEMP. RANGE	26 ° F to 50 ° F
FREEZER TEMP. RANGE	5 ° C to 42 ° C



FEATURES:

- Highly efficient construction features 3.1" (8 cm) of insulation in the freezer and 1.9" (5 cm) in the fridge
- Danfoss/Secop compressor - the world's leading DC compressor (2 year warranty)
- Features an inline fuse for protection
- Thermostat
- Adjustable heavy-duty glass shelves
- 2 Bottom crisper drawers
- Interior LED light
- Operational error code warning system
- Optional convertor to run on AC power sold separately
- 8ft electrical wire cut end included

COLORS:



white



black



stainless

SOLAR POWERED DC FRIDGE

UGP-290L1 10.3 cu/ft - 290 litres

MODEL (shown)	UGP-290L1 W
SIZE	total: 10.3 cu/ft, 290 litres
OPERATION	12V/24V
DIMENSIONS: (H x W x D)	unboxed: 61" x 24" x 27"
WEIGHT	136.7 lbs. / 62 kg
DC POWER	12V/24V
TOTAL WATT HR. DRAW (24V DC)	524 Wh/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
TOTAL AMP HR. DRAW (24V DC)	24 Ah/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
POWER CONSUMPTION	56 W on 12V
AV. RUN CURRENT	4.5A on 12V
FRIDGE TEMP. RANGE	28 ° F to 50 ° C
FREEZER TEMP. RANGE	up to -13 ° F



FEATURES:

- Super efficient construction features 3.5" (9 cm) of insulation in the freezer and 2.5" (6 cm) in the fridge
- Danfoss/Secop compressor - the world's leading DC compressor (2 year warranty)
- Features an inline fuse for protection
- Thermostat
- Adjustable heavy-duty glass shelves
- Bottom crisper
- Interior LED light
- Operational error code warning system
- 3.5ft electrical wire cut end included



SOLAR POWERED DC FRIDGE

UGP-260L1 9.0 cu/ft - 260 litres

COLORS:



white



black



MODEL (shown)	UGP-260L1 W
SIZE	total: 9.0 cu/ft, 260 litres
OPERATION	12V/24V
DIMENSIONS: (H x W x D)	unboxed: 64" x 21.4" x 22.4"
WEIGHT	93 lbs. / 42 kg
DC POWER	12V/24V
TOTAL WATT HR. DRAW (24V DC)	572 Wh/ 24 hrs (set to -14 ° C freezer/+4 ° C fridge performance in a +25 ° C ambient)
TOTAL AMP HR. DRAW (24V DC)	24 Ah/ 24 hrs (set to -14 ° C freezer/+4 ° C fridge performance in a +25 ° C ambient)
POWER CONSUMPTION	56 W on 12V/24V
AV. RUN CURRENT	4.5A on 12V - 2.5A on 24V
FRIDGE TEMP. RANGE	24 ° F to 50 ° F
FREEZER TEMP. RANGE	5 ° F to 21 ° F



FEATURES:

- Efficient construction features 2.75" (7 cm) of insulation in the freezer and 1.75" (4.5 cm) in the fridge
- Danfoss/Secop compressor - the world's leading DC compressor (2 year warranty)
- Features an inline fuse for protection
- Thermostat
- Adjustable heavy-duty glass shelves
- Bottom crisper
- Interior LED light
- Operational error code warning system
- Optional convertor to run on AC power sold separately
- 8ft electrical wire cut end included



COLORS:



white



black

SOLAR POWERED DC FRIDGE

UGP-170L1 6.0 cu/ft - 170 litres

MODEL (shown)	UGP-170L1 W
SIZE	total: 6.0 cu/ft, 170 litres
OPERATION	12V/24V
DIMENSIONS: (H x W x D)	unboxed: 50.5" x 19.2" x 22.8"
WEIGHT	76 lbs. / 34.5 kg
DC POWER	12V/24V
TOTAL WATT HR. DRAW (24V DC)	520 Wh/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
TOTAL AMP HR. DRAW (24V DC)	19.8 Ah/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
POWER CONSUMPTION	52 W on 12V/24V
AV. RUN CURRENT	4.3A on 12V & 2.2A on 24V
FRIDGE TEMP. RANGE	24 °F to 50 °F
FREEZER TEMP. RANGE	5 °F to 21 °F



FEATURES:


- Efficient insulation throughout and simple effortless controls
- Danfoss/Secop compressor - the world's leading DC compressor (2 year warranty)
- Features an inline fuse for protection
- Thermostat
- 4 heavy-duty glass shelves & 3 door shelves
- Bottom crisper
- Interior LED light
- Operational error code warning system
- Optional convertor to run on AC power sold separately
- 8ft electrical wire cut end included



SOLAR POWERED DC FRIDGE

UGP-108L1 3.8 cu/ft - 108 litres

COLORS:



MODEL (shown)	UGP-108L1 W
SIZE	total: 3.8 cu/ft, 108 litres
OPERATION	12V/24V
DIMENSIONS: (H x W x D)	unboxed: 32.4" x 21.3" x 22.8"
WEIGHT	60 lbs. / 27 kg
DC POWER	12V/24V
TOTAL WATT HR. DRAW (24V DC)	445 Wh/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
TOTAL AMP HR. DRAW (24V DC)	14.5 Ah/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
POWER CONSUMPTION	49 W on 12V/24V
AV. RUN CURRENT	4.1A on 12V - 2.1A on 24V
FRIDGE TEMP. RANGE	24 ° F to 50 ° F
FREEZER TEMP. RANGE	5 ° F to 21 ° F



FEATURES:

- Efficient insulation throughout and simple effortless controls
- Danfoss/Secop compressor - the world's leading DC compressor (2 year warranty)
- Features an inline fuse for protection
- Thermostat
- 2 heavy-duty glass shelves & 4 door shelves
- Bottom crisper
- Interior LED light
- Operational error code warning system
- Optional convertor to run on AC power sold separately
- 8ft electrical wire cut end included



COLORS:



white

SOLAR POWERED DC CHEST FREEZER

UGP-265L1 9.3 cu/ft - 265 litres



MODEL (shown)	UGP-265L1
SIZE	total: 9.3 cu/ft, 265 litres
OPERATION	12V / 24V
DIMENSIONS: (H x W x D)	unboxed: 45.7" x 26.2" x 33.5"
WEIGHT	119 lbs./54 kg
DC POWER	DC 12V/24V
TOTAL WATT HR. DRAW (24V DC)	627 Wh/ 24 hrs (-11 °C performance in a +25 °C ambient)
TOTAL AMP HR. DRAW (24V DC)	22.7 Ah/ 24 hrs (-11 °C performance in a +25 °C ambient)
POWER CONSUMPTION	69 W on 12V/24V
AV. RUN CURRENT	5.75A on 12V & 2.88A on 24V
TEMP. RANGE	-1 ° F to + 50 ° F



FEATURES:

- 3.5" (9 cm) of insulation for efficient operation/freezing
- Lid + dual glass sliders for added energy efficiency
- Danfoss/Secop compressor – the world’s leading DC compressor (2 year warranty)
- 12V or 24V DC with low voltage disconnect battery protection
- Has an in-line fuse for protection
- Compact chest-style design can be used as a freezer or fridge (adjustable thermostat)
- Durable galvanized steel exterior construction
- Operational error code warning system
- Easy to clean aluminum interior with bottom drain
- Optional convertor to run on AC power sold separately
- 8ft electrical wire cut end included



SOLAR POWERED *Retro* DC UPRIGHT FREEZER

UGP-175L UF R 6.1 cu/ft - 175 litres

COLORS:



Red



MODEL (shown)	UGP-175L UF R
SIZE	total: 6.1 cu/ft, 175 litres
OPERATION	12V/24V
DIMENSIONS: (H x W x D)	unboxed: 56.6" x 21" x 24"
WEIGHT	102.5 lbs. / 46.5 kg
DC POWER	12V/24V
TOTAL WATT HR. DRAW (24V DC)	532 Wh/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
TOTAL AMP HR. DRAW (24V DC)	17 Ah/ 24 hrs (set to -14 °C freezer/+4 °C fridge performance in a +25 °C ambient)
POWER CONSUMPTION	61 W on 12V/24V
AV. RUN CURRENT	5.1A on 12V - 2.5A on 24V
FREEZER TEMP. RANGE	-13 ° F to 21 ° F



FEATURES:

- Highly efficient construction features 3" (7.62 cm) of insulation
- Danfoss/Secop compressor - the world's leading DC compressor (2 year warranty)
- Features an inline fuse for protection
- Thermostat
- 6 heavy-duty drawers
- Operational error code warning system
- Optional convertor to run on AC power sold separately
- 8ft electrical wire cut end included



COLORS:



white

SOLAR POWERED DC CHEST FREEZER UGP-50L1 1.8 cu/ft - 50 litres

MODEL (shown)	UGP-50L1
SIZE	total: 1.8 cu/ft, 50 litres
OPERATION	12V / 24V
DIMENSIONS: (H x W x D)	unboxed: 30.3" x 26.4" x 23"
WEIGHT	65 lbs./29.5 kg
DC POWER	DC 12V/24V
TOTAL WATT HR. DRAW (24V DC)	278 Wh/ 24 hrs (-16 ° C performance in a +25 ° C ambient)
TOTAL AMP HR. DRAW (24V DC)	20 Ah/ 24 hrs (-16 ° C performance in a +25 ° C ambient)
POWER CONSUMPTION	27 W on 12V & 26 W on 24V
AV. RUN CURRENT	2A on 12V & 1A on 24V
TEMP. RANGE	-4 ° F to 68 ° F



FEATURES:

- 4.3" (11 cm) of insulation for super-efficient operation/freezing
- Danfoss/Secop compressor – the world’s leading DC compressor (2 year warranty)
- 12V or 24V DC with low voltage disconnect battery protection
- Has an in-line fuse for protection
- Compact chest-style design can be used as a freezer or fridge (adjustable thermostat)
- Durable galvanized steel exterior construction
- Easy to clean aluminum interior with bottom drain
- Heavy duty side handles
- 3.5ft electrical wire cut end included



ON-GRID/OFF-GRID SEMI AUTOMATIC DC WASHING MACHINE UGP-72 LD1

COLORS:



white



MODEL (shown)	UGP-72 LD1
CAPACITY washer	65L / 2.3 cu.ft
SPINNER	13,000 r+min 1-5 min timer
OPERATION	DC 24V
DIMENSIONS: (H x W x D)	unboxed: 35" x 31.5" x 18.7"
WEIGHT	44 lbs./21.5 kg
CONNECTIONS	Battery gator clips (AC/DC converter for on-grid use sold separately)
DC POWER	24V
POWER CONSUMPTION	0.19 kw/h
INPUT WASH POWER	160W/320W
WATER CONSUMPTION	Variable upon need




FEATURES:

- Energy efficient dual tub washing machine is perfect for off-grid use with solar system, or apartment use with AC/DC converter (AC/DC converter sold separately)
- Lightweight, easy to move where needed
- 2 wash settings (gentle/heavy duty)
- Adjustable timed spin cycle
- Hooks up to standard faucet
- Pump-powered drain
- Compact and modern design, easy to store
- Manual drain to regulate flow for septic beds

40





SOLAR POWERED DC PORTABLES



UGP-120L1



UGP-80L1



UGP-60L1



PORTABLE SOLAR AC/DC POWERED FRIDGE/FREEZER

UGP-120L1 4.2 cu/ft - 120 litres

COLORS:



* Solar panel & battery not included

MODEL (shown)	UGP-120L1
SIZE	total: 4.2 cu/ft, 120 litres
OPERATION	110V / 12V / 24V
DIMENSIONS: (H x W x D)	unboxed: 28.34" x 34" x 21"
WEIGHT	79 lbs./36 kg
CONNECTIONS	car DC connector, battery gator clips & AC/DC converter included
DC POWER	DC 12V/24V + AC/DC adapter included
TOTAL WATT HR. DRAW	469 Wh/ 24 hrs (Lrg. Side set to +5 °C / Sm. Side to -13 °C in a +25 °C ambient)
TOTAL AMP HR. DRAW	38 Ah/ 24 hrs (Lrg. Side set to +5 °C / Sm. Side to -13 °C in a +25 °C ambient)
POWER CONSUMPTION	33 W
AV. RUN CURRENT	2.7 amps on 12V DC
TEMP. RANGE	-1 °F to 68 °F (in a 34 °F to 109 °F ambient temperature)
LRG. COMPARTMENT	15.3" L x 12.4" W x 22.8" D
SM. COMPARTMENT	15.3" L x 12.4" W x 14.5" D



Includes all connectors
- car DC connector,
battery gator clips,
AC/DC converter,
wireless remote
control & protective
insulated bag



FEATURES:

- Danfoss/Secop compressor – the world's leading DC compressor (2 year warranty)
- Operates on DC or AC power
- Chest-style fridge/ freezer is high efficiency while using low energy consumption
- Dual compartments enable fridge/ freezer combinations
- Individual temperature controls for each compartment allows either compartment to be shut off to save energy
- Rugged side handles for easy carrying and tie-down
- Thermostat
- Power source indicator



42

PORTABLES

INCLUDES COVER

SOLAR POWERED: UGP-120L1

www.uniqueoffgrid.com

COLORS:

white

PORTABLE SOLAR AC/DC POWERED FRIDGE/FREEZER

UGP-80L1 W 2.8 cu/ft - 80 litres

MODEL (shown)	UGP-80L1 W
SIZE	total: 2.8 cu/ft, 80 litres
OPERATION	110V / 12V / 24V
DIMENSIONS: (H x W x D)	unboxed: 20.9" x 31.5" x 18.5"
WEIGHT	63.9 lbs./29 kg
CONNECTIONS	car DC connector, battery gator clips & AC/DC converter included
DC POWER	DC 12V/24V + AC/DC adapter included
TOTAL WATT HR. DRAW	378 Wh/ 24 hrs (Lrg. Side set to +5 °C / Sm. Side to -13 °C in a +25 °C ambient)
TOTAL AMP HR. DRAW	9.3 Ah/ 24 hrs (Lrg. Side set to +5 °C / Sm. Side to -13 °C in a +25 °C ambient)
POWER CONSUMPTION	33 W
AV. RUN CURRENT	2.7 amps on 12V DC
TEMP. RANGE	-7.6 °F to 50 °F (in a +34 °F to 109 °F ambient temperature)
LRG. COMPARTMENT 1.	13.9" L x 8.4" W x 15.4" D
LRG. COMPARTMENT 2.	13.9" L x 8" W x 6.6" D
SM. COMPARTMENT	13.9" L x 8.3" W x 15.4" D

FEATURES:

- Danfoss/Secop compressor – the world's leading DC compressor (2 year warranty)
- Operates on DC or AC power - 3 stages for battery protection
- Chest-style fridge/ freezer is high efficiency while using a low energy consumption
- Dual compartments enable fridge/ freezer combinations
- Individual temperature controls for each compartment allows either compartment to be shut off to save energy
- Rugged side handles for easy carrying and tie-down
- USB ports x 3 - 5V 2.1A
- 12V socket x 1
- Thermostat



**INCLUDES
COVER**



* Solar panel & battery not included



Includes all connectors
- car DC connector,
battery gator clips, AC/
DC converter & protec-
tive insulated bag



43

PORTABLES

PORTABLE SOLAR AC/DC POWERED FRIDGE/FREEZER

UGP-60L1 2.1 cu/ft - 60 litres

COLORS:



* Solar panel & battery not included

MODEL (shown)	UGP-60L1
SIZE	total: 2.1 cu/ft, 60 litres
OPERATION	110V / 12V / 24V
DIMENSIONS: (H x W x D)	unboxed: 20.4" x 27" x 19"
WEIGHT	61.7 lbs./28 kg
CONNECTIONS	car DC connector, battery gator clips & AC/DC converter included
DC POWER	DC 12V/24V + AC/DC adapter included
TOTAL WATT HR. DRAW	459 Wh/ 24 hrs (Lrg. Side set to +5 ° C / Sm. Side to -13 ° C in a +25 ° C ambient)
TOTAL AMP HR. DRAW	38 Ah/ 24 hrs (Lrg. Side set to +5 ° C / Sm. Side to -13 ° C in a +25 ° C ambient)
POWER CONSUMPTION	33 W
AV. RUN CURRENT	2.7 amps on 12V DC
TEMP. RANGE	-1 ° F to 68 ° F (in a 34 ° F to 109 ° F ambient temperature)
LRG. COMPARTMENT	13.3" L x 12.4" W x 15.7" D
SM. COMPARTMENT	13.3" L x 8.1" W x 7.8" D



Includes all connectors - car DC connector, battery gator clips, AC/DC converter & protective insulated bag



FEATURES:

- Danfoss/Secop compressor – the world's leading DC compressor (2 year warranty)
- Operates on DC or AC power
- Chest-style fridge/ freezer is high efficiency while using a low energy consumption
- Dual compartments enable fridge/ freezer combinations
- Individual temperature controls for each compartment allows either compartment to be shut off to save energy
- Rugged side handles for easy carrying and tie-down
- Thermostat
- Power source indicator



44

PORTABLES

INCLUDES COVER

SOLAR POWERED: UGP-60L1

www.uniqueoffgrid.com

Unique's DC Solar lineup just got **bigger!**

Energy efficient appliances are essential to living the "off grid" life style, and now with Unique's collection of solar DC fridges and freezers you can harness the power of the sun and do just that!

Unique's line of solar powered upright fridges/freezers are some of the most efficient refrigeration products available on the market today.

Designed for optimal energy savings and easy, dependable use, Unique's solar refrigerators/freezers boast industry leading Secop/Danfoss compressors, thick insulation throughout and simple effortless controls.

LARGEST IN THE WORLD



UGP 108L1 W

UGP 170L1 W

UGP 175L UF R
FREEZER

UGP 260L1 W

UGP 290L1 W

UGP 470L1

Call us today for details
1-877-427-2266

info@UniqueOffGrid.com
www.UniqueOffGrid.com




UNIQUE
OFF-GRID APPLIANCES

UNIQUE[®]



FOR THOSE WITH AC POWER...

WE'VE GOT SOMETHING SPECIAL FOR YOU

For those living in a condo, home, cabin or chalet with conventional 110V/AC power, Unique's lineup of electronic ignition ranges are designed with just the key electronics (less servicing required). High performance commercial grade gas ranges with exquisite design and exceptional cooking capabilities, all at an affordable price.

- Convection cooking circulates heat for even distribution
- High quality burners with industry leading BTUs
- Cast iron grates
- Automatic electric spark ignition
- Available in multiple sizes for all your needs. From the exquisite 36" Elite, to the stylish 24" Prestige all the way down to the compact 20" Classic *Plus*, Unique has a range for all your needs.

Incredible performance and looks at an incredible price!



UNIQUE®



CONVECTION GAS RANGES (ELECTRONIC IGNITION)

UNIQUE *elite*

PRESTIGE

Classic ^{Plus}



UGP-30E ON1
UNIQUE ELITE SERIES



UGP-24V PC1
UNIQUE PRESTIGE SERIES



UGP-30H CC1
UNIQUE CLASSIC PLUS SERIES





UNIQUE ELITE
36" GAS RANGE
 ELECTRONIC IGNITION



COLORS:



stainless

MODEL (shown)	UGP-36E ON1
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 39.75" x 36" x 27.5" oven: 14.5" x 30" x 18" (4.5 cu.ft)
COOKING SURFACE HEIGHT	37"
BTU (LPG & NG)	total BTUs on cooktop: 69,000 griddle: 15,000 front left: 15,000 (680 BTU simmer) front right: 15,000 (680 BTU simmer) rear left: 12,000 rear right: 12,000 infrared upper broiler burner: 16,500 U-shape oven burner: 22,000
WEIGHT (LBS/KG)	220 lbs / 99.7 kg

FEATURES:

- Elegant, pro-style design at an affordable price
- 15,000 BTUs of searing power on cooktop
- High quality, Italian-made sealed burners for easy cleanup
- Continuous cast iron grate design for easy movement of cookware
- Convection cooking
- Centre griddle for weekend breakfast
- Infrared broiler and griddle
- Automatic electric spark ignition. Burners relight automatically if blown out
- Heavy stainless steel construction
- Halogen lights
- Porcelain broil pan and tray included



COLORS:



stainless



UNIQUE ELITE 30" GAS RANGE ELECTRONIC IGNITION

MODEL (shown)	UGP-30E ON1
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 39.75" x 30" x 27.5" oven: 15.25" x 24" x 18" (3.8 cu.ft)
COOKING SURFACE HEIGHT	37"
BTU (LPG & NG)	total BTUs on cooktop: 57,000 front left: 18,000 front right: 15,000 (680 BTU simmer) rear left: 12,000 rear right: 12,000 upper broiler burner: 13,000 U-shape oven burner: 22,000
WEIGHT (LBS/KG)	172 lbs / 78 kg



FEATURES:

- Elegant, pro-style design at an affordable price
- 18,000 BTUs of searing power on cooktop
- High quality, Italian-made sealed burners for easy cleanup
- Continuous cast iron grate design for easy movement of cookware
- Convection cooking
- Automatic electric spark ignition. Burners relight automatically if blown out
- Heavy stainless steel construction
- Halogen lights
- Porcelain broil pan and tray included



49

UNIQUE ELITE

24" UNIQUE PRESTIGE

CONVECTION GAS RANGE

ELECTRONIC IGNITION

COLORS:



stainless



MODEL (shown)	UGP-24V PCI S/S
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 23.5" x 38.5" x 22.3" oven: 14" x 18.25" x 16" (2.3 cu.ft) drawer 4.5" x 16" x 15"
COOKING SURFACE HEIGHT	37"
BTU: cooktop (NG & LPG)	Variable BTU cooktop - (sealed burners) rear right: 11,000 front left: 8,500 rear left: 5,000 front right: 2,700
WEIGHT	127.5 lbs / 57.8 kg

FEATURES:

- Elegant modern design
- Convection oven with waist-high broiler
- Continuous cast iron grate design for easy and safe movement of cookware (no tipping)
- One large 11,000 BTU cast burner for quick boiling
- High quality sealed cast burners for easy clean up
- Automatic electric spark ignition
- Variable BTUs to allow you to cook how you want
- Practical storage drawer for pots and pans
- 2 adjustable heavy duty oven racks with 3 shelf positions



50

COLORS:



white



black

24" UNIQUE Classic
CONVECTION GAS RANGE
ELECTRONIC IGNITION

MODEL (shown)	UGP-24H CC1 W
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 39.4" x 24" x 29.5" oven: 13.7" x 18.7" x 20.1" (2.9 cu.ft) drawer: 6.1" x 16.7" x 19.6"
COOKING SURFACE HEIGHT	37"
BTU: cooktop (NG & LPG)	Variable BTU cooktop - (sealed burners) front right: 11,000 front left: 10,000 rear left: 10,000 rear right: 3,200
WEIGHT	156.5 lbs / 71 kg



FEATURES:

- Sleek modern design
- Convection oven with waist-high broiler
- Continuous cast iron grate design for easy and safe movement of cookware (no tipping)
- One large 11,000 BTU cast burner for quick boiling
- High quality sealed cast burners for easy clean up
- Automatic electric spark ignition
- Variable BTUs to allow you to cook how you want
- Large window
- Practical storage drawer for pots and pans
- 2 adjustable heavy duty oven racks with 4 shelf positions



20" UNIQUE Classic ^{Plus} CONVECTION GAS RANGE

ELECTRONIC IGNITION

COLORS:



white



black



MODEL (shown)	UGP-20H CC1 W
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	overall: 39.4" x 20" x 29.5" oven: 13.7" x 14.7" x 20.1" (2.3 cu.ft) drawer: 6.1" x 12.7" x 19.6"
COOKING SURFACE HEIGHT	37"
BTU: cooktop (NG & LPG)	Variable BTU cooktop - (sealed burners) front right: 10,000 rear left: 10,000 front left: 7,000 rear right: 3,000
WEIGHT	138.9 lbs / 63 kg

FEATURES:

- Sleek modern design
- Convection oven with waist-high broiler
- Continuous cast iron grate design for easy and safe movement of cookware (no tipping)
- One large 10,000 BTU cast burner for quick boiling
- High quality sealed cast burners for easy clean up
- Automatic electric spark ignition
- Variable BTUs to allow you to cook how you want
- Large window
- Practical storage drawer for pots and pans
- 2 adjustable heavy duty oven racks with 4 shelf positions



COLORS:



stainless

30" UNIQUE RANGE HOOD

ELECTRONIC




MODEL (shown)	UGP-30RH PL1
RATED POWER	900 CFM
DIMENSIONS: (H x W x D)	22"H x 29.75"W x 10"D
CONTROLS	4 speed power control
NOISE LEVEL	Super quiet: 386 CFM (1.5 sones/46 db) Low speed: 490 CFM (3.5 sones/58 db) Medium speed: 615 CFM (5.3 sones/46 db) High speed: 900 CFM (7.5 sones/69 db)
LIGHTS	1.5W LED Lamps x 2
CLEANING	Dishwasher safe stainless steel baffle filters
DELAYED AUTO SHUTOFF	3 mins pre-set
WEIGHT (LBS/KG)	56 lbs / 25 kg



FEATURES:

- Elegant, pro-style design at an affordable price
- 4 speed power control - from 386 CFM to 900 CFM
- Digital display for easy controls
- Dishwasher safe stainless steel baffle filters
- Delayed power auto shut off with 3 minute pre-set
- 2 x 1.5 W LED lamp



UNIQUE[®]

OFF-GRID APPLIANCES

UNIQUE'S PATENT PENDING DIRECT VENTING SYSTEM (‘DV’ MODEL)

Not A Kit - Easy to Install!

INSULATED

Exhaust insulated to reduce condensate

EASE OF ASSEMBLY


To save you time, Unique's factory built system takes under 30 minutes to assemble

SAFETY FIRST

Unique leads the way through:

- Innovation
- Safety
- Product awareness

* Unique first to develop free-standing direct vent propane refrigerators in 1991



INTEGRAL SYSTEM

Factory pre-built - only required to attach horizontal vent extensions through outside wall

SERVICEABILITY

Burner box designed to make seasonal servicing easier!

DV models must be located on an outside/exterior wall

UNIQUE[®]

OFF-GRID APPLIANCES

CONTACT US

 www.UniqueOffGrid.com tf: 1-877-427-2266

 info@UniqueOffGrid.com tel: 905-827-6154

 Unique Off Grid Appliances fax: 905-827-2027

 @UniqueOffGrid

HEAD OFFICE

2245 Wycroft Road, Oakville,
Ontario, Canada L6L 5L7

U.S.A WAREHOUSE

Tonawanda, N.Y





www.UniqueOffGrid.com

2245 WYECROFT ROAD, OAKVILLE, ON, CANADA L6L 5L7
tel: 905-827-6154 / tf: 877-427-2266 / fax: 905-827-2027